Listing of claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-24. (Cancelled)

- 25. (Previously presented) An isolated antibody or fragment thereof that binds to a protein selected from the group consisting of:
 - (a) a protein consisting of amino acid residues from about 116 to about 271 of SEQ ID NO:2;
 - (b) a protein consisting of amino acid residues from about 283 to about 308 of SEQ ID NO:2;
 - (c) a protein consisting of amino acid residues from about 336 to about 372 of SEQ ID NO:2;
 - (d) a protein consisting of amino acid residues from about 393 to about 434 of SEQ ID NO:2;
 - (e) a protein consisting of amino acid residues from about 445 to about 559 of SEQ ID NO:2; and
 - (f) a protein consisting of amino acid residues from about 571 to about 588 of SEQ ID NO:2.
- 26. (Previously presented) The antibody or fragment thereof of claim 25 that binds protein (a).
- 27. (Previously presented) The antibody or fragment thereof of claim 25 that binds protein (b).
- 28. (Previously presented) The antibody or fragment thereof of claim 25 that binds protein (c).
- 29. (Previously presented) The antibody or fragment thereof of claim 25 that binds protein (d).
- 30. (Previously presented) The antibody or fragment thereof of claim 25 that binds protein (e).

- 31. (Previously presented) The antibody or fragment thereof of claim 25 that binds protein (f).
 - 32. (Cancelled)
- 33. (Previously presented) The antibody or fragment thereof of claim 25 wherein said protein bound by said antibody or fragment thereof is glycosylated.
- 34. (Previously presented) The antibody or fragment thereof of claim 25 which is a human antibody.
- 35. (Previously presented) The antibody or fragment thereof of claim 25 which is a polyclonal antibody.
- 36. (Previously presented) The antibody or fragment thereof of claim 25 which is selected from the group consisting of:
 - (a) a chimeric antibody;
 - (b) a humanized antibody;
 - (c) a single chain antibody; and
 - (d) an Fab fragment.
- 37. (Previously presented) The antibody or fragment thereof of claim 25 which is labeled.
- 38. (Currently amended) The antibody or fragment thereof of claim 25 which is radiolabeled.
- 39. (Previously presented) The antibody or fragment thereof_of claim 25 which is biotinylated.
 - 40. (Cancelled)
- 41. (Previously presented) The antibody or fragment thereof of claim 25, wherein the antibody or fragment thereof agonizes TR9 signaling.
- 42. (Previously presented) The antibody or fragment thereof of claim 25 which is fused to a heterologous polypeptide.

- 43. (Previously presented) The antibody or fragment thereof of claim 25 which is attached to a solid support.
- 44. (Previously presented) The antibody or fragment thereof of claim 25 wherein said antibody or fragment thereof binds to said protein in a Western blot.
- 45. (Previously presented) The antibody or fragment thereof of claim 25 wherein said antibody or fragment thereof binds to said protein in an ELISA.
- 46. (Previously presented) An isolated cell that produces the antibody or fragment thereof of claim 25.
- 47. (Previously presented) A hybridoma that produces the antibody or fragment thereof of claim 25.
- 48. (Currently amended) A method of detecting TR9 protein in a biological sample comprising:
 - (a) contacting the biological sample with the antibody or fragment thereof of claim 25; and
 - (b) detecting <u>binding of said antibody or fragment thereof to</u> the TR9 protein in the biological sample.
- 49. (Previously presented) The method of claim 48 wherein the antibody or fragment thereof is a polyclonal antibody.
- 50. (Previously presented) An isolated monoclonal antibody or fragment thereof that binds to a protein selected from the group consisting of:
 - (a) a protein consisting of amino acid residues from about 116 to about 271 of SEQ ID NO:2;
 - (b) a protein consisting of amino acid residues from about 283 to about 308 of SEQ ID NO:2;
 - (c) a protein consisting of amino acid residues from about 336 to about 372 of SEQ ID NO:2;
 - (d) a protein consisting of amino acid residues from about 393 to about 434 of SEQ ID NO:2;

- (e) a protein consisting of amino acid residues from about 445 to about 559 of SEQ ID NO:2; and
- (f) a protein consisting of amino acid residues from about 571 to about 588 of SEQ ID NO:2.
- 51. (Previously presented) The antibody or fragment thereof of claim 50 that binds protein (a).
- 52. (Previously presented) The antibody or fragment thereof of claim 50 that binds protein (b).
- 53. (Previously presented) The antibody or fragment thereof of claim 50 that binds protein (c).
- 54. (Previously presented) The antibody or fragment thereof of claim 50 that binds protein (d).
- 55. (Previously presented) The antibody or fragment thereof of claim 50 that binds protein (e).
- 56. (Previously presented) The antibody or fragment thereof of claim 50 that binds protein (f).
 - 57. (Cancelled)
- 58. (Previously presented) The antibody or fragment thereof of claim 50 wherein said protein bound by said antibody or fragment thereof is glycosylated.
- 59. (Previously presented) The antibody or fragment thereof of claim 50 which is a human antibody.
- 60. (Previously presented) The antibody or fragment thereof of claim 50 which is selected from the group consisting of:
 - (a) a chimeric antibody;
 - (b) a humanized antibody;
 - (c) a single chain antibody; and
 - (d) an Fab fragment.

- 61. (Previously presented) The antibody or fragment thereof of claim 50 which is labeled.
- 62. (Previously presented) The antibody or fragment thereof of claim 50 which is radiolabeled
- 63. (Previously presented) The antibody or fragment thereof of claim 50 which is biotinylated.
 - 64. (Cancelled)
- 65. (Previously presented) The antibody or fragment thereof of claim 50 wherein the antibody or fragment thereof agonizes TR9 signaling.
- 66. (Previously presented) The antibody or fragment thereof of claim 50 which is fused to a heterologous polypeptide.
- 67. (Previously presented) The antibody or fragment thereof of claim 50 which is attached to a solid support.
- 68. (Previously presented) The antibody or fragment thereof of claim 50 wherein said antibody or fragment thereof binds to said protein in a Western blot.
- 69. (Previously presented) The antibody or fragment thereof of claim 50 wherein said antibody or fragment thereof binds to said protein in an ELISA.
- 70. (Previously presented) An isolated cell that produces the antibody or fragment thereof of claim 50.
- 71. (Previously presented) A hybridoma that produces the antibody or fragment thereof of claim 50.
- 72. (Currently amended) A method of detecting TR9 protein in a biological sample comprising:
 - (a) contacting the biological sample with the antibody or fragment thereof of claim 50; and

- (b) detecting <u>binding of said antibody or fragment thereof to</u> the TR9 protein in the biological sample.
- 73. (Currently amended) An isolated antibody or fragment thereof that binds to a protein selected from the group consisting of:
 - (a) a protein consisting of amino acid residues from about 116-156 to about 271-311 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;
 - (b) a protein consisting of amino acid residues from about 283-323 to about 308-348 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;
 - (c) a protein consisting of amino acid residues from about 336-376 to about 372-412 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;
 - (d) a protein consisting of amino acid residues from about 393-433 to about 434-474 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;
 - (e) a protein consisting of amino acid residues from about 445 485 to about 559 599 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037; and
 - (f) a protein consisting of amino acid residues from about 571-611 to about 588-628 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037.
- 74. (Previously presented) The antibody or fragment thereof of claim 73 that binds protein (a).
- 75. (Previously presented) The antibody or fragment thereof of claim 73 that binds protein (b).
- 76. (Previously presented) The antibody or fragment thereof of claim 73 that binds protein (c).
- 77. (Previously presented) The antibody or fragment thereof of claim 73 that binds protein (d).

- 78. (Previously presented) The antibody or fragment thereof of claim 73 that binds protein (e).
- 79. (Previously presented) The antibody or fragment thereof of claim 73 that binds protein (f).
 - 80. (Cancelled)
- 81. (Previously presented) The antibody or fragment thereof of claim 73 wherein said protein bound by said antibody or fragment thereof is glycosylated.
- 82. (Previously presented) The antibody or fragment thereof of claim 73 which is a human antibody.
- 83. (Previously presented) The antibody or fragment thereof of claim 73 which is a polyclonal antibody.
- 84. (Previously presented) The antibody or fragment thereof of claim 73 which is selected from the group consisting of:
 - (a) a chimeric antibody;
 - (b) a humanized antibody;
 - (c) a single chain antibody; and
 - (d) an Fab fragment.
- 85. (Previously presented) The antibody or fragment thereof of claim 73 which is labeled.
- 86. (Previously presented) The antibody or fragment thereof of claim 73 which is radiolabeled
- 87. (Previously presented) The antibody or fragment thereof of claim 73 which is biotinylated.
 - 88. (Cancelled)
- 89. (Previously presented) The antibody or fragment thereof of claim 73, wherein the antibody or fragment thereof agonizes TR9 signaling.

- 90. (Previously presented) The antibody or fragment thereof of claim 73 which is fused to a heterologous polypeptide.
- 91. (Previously presented) The antibody or fragment thereof of claim 73 which is attached to a solid support.
- 92. (Previously presented) The antibody or fragment thereof of claim 73 wherein said antibody or fragment thereof binds to said protein in a Western blot.
- 93. (Previously presented) The antibody or fragment thereof of claim 73 wherein said antibody or fragment thereof binds to said protein in an ELISA.
- 94. (Previously presented) An isolated cell that produces the antibody or fragment thereof of claim 73.
- 95. (Previously presented) A hybridoma that produces the antibody or fragment thereof of claim 73.
- 96. (Currently amended) A method of detecting TR9 protein in a biological sample comprising:
 - (a) contacting the biological sample with the antibody or fragment thereof of claim 73; and
 - (b) detecting <u>binding of said antibody or fragment thereof to</u> the TR9 protein in the biological sample.
- 97. (Previously presented) The method of claim 96 wherein the antibody or fragment thereof is a polyclonal antibody.
- 98. (Currently amended) An isolated monoclonal antibody or fragment thereof that binds to a protein selected from the group consisting of:
 - (a) a protein consisting of amino acid residues from about <u>416–156</u> to about <u>271–311</u> of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;
 - (b) a protein consisting of amino acid residues from about 283-323 to about 308-348 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;

- (c) a protein consisting of amino acid residues from about 336-376 to about 372-412 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;
- (d) a protein consisting of amino acid residues from about 393-433 to about 434-474 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037;
- (e) a protein consisting of amino acid residues from about 445 485 to about 559-599 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037; and
- (f) a protein consisting of amino acid residues from about 571-611 to about 588-628 of the amino acid sequence encoded by the cDNA contained in ATCC Deposit Number 209037.
- 99. (Previously presented) The antibody or fragment thereof of claim 98 that binds protein (a).
- 100. (Previously presented) The antibody or fragment thereof of claim 98 that binds protein (b).
- 101. (Previously presented) The antibody or fragment thereof of claim 98 that binds protein (c).
- 102. (Previously presented) The antibody or fragment thereof of claim 98 that binds protein (d).
- 103. (Previously presented) The antibody or fragment thereof of claim 98 that binds protein (e).
- 104. (Previously presented) The antibody or fragment thereof of claim 98 that binds protein (f).
 - 105. (Cancelled)
- 106. (Previously presented) The antibody or fragment thereof of claim 98 wherein said protein bound by said antibody or fragment thereof is glycosylated.

- 107. (Previously presented) The antibody or fragment thereof of claim 98 which is a human antibody.
- 108. (Previously presented) The antibody or fragment thereof of claim 98 which is selected from the group consisting of:
 - (a) a chimeric antibody;
 - (b) a humanized antibody;
 - (c) a single chain antibody; and
 - (d) an Fab fragment.
- 109. (Previously presented) The antibody or fragment thereof of claim 98 which is labeled.
- 110. (Previously presented) The antibody or fragment thereof of claim 98 which is radiolabeled.
- 111. (Previously presented) The antibody or fragment thereof of claim 98 which is biotinylated.
 - 112. (Cancelled)
- 113. (Previously presented) The antibody or fragment thereof of claim 98, wherein the antibody or fragment thereof agonizes TR9 signaling.
- 114. (Previously presented) The antibody or fragment thereof of claim 98 which is fused to a heterologous polypeptide.
- 115. (Previously presented) The antibody or fragment thereof of claim 98 which is attached to a solid support.
- 116. (Previously presented) The antibody or fragment thereof of claim 98 wherein said antibody or fragment thereof binds to said protein in a Western blot.
- 117. (Previously presented) The antibody or fragment thereof of claim 98 wherein said antibody or fragment thereof binds to said protein in an ELISA.

- 118. (Previously presented) An isolated cell that produces the antibody or fragment thereof of claim 98.
- 119. (Previously presented) A hybridoma that produces the antibody or fragment thereof of claim 98.
- 120. (Currently amended) A method of detecting TR9 protein in a biological sample comprising:
 - (a) contacting the biological sample with the antibody or fragment thereof of claim 98; and
 - (b) detecting <u>binding of said antibody or fragment thereof to</u> the TR9 protein in the biological sample.

121-125. (Cancelled)